



Item	Description	Qty on hand
Measuring Tools Digital Calipers, Std Micrometers and Dial Indicators		
BROWN-599-1-44	Micrometer -(0-1") - (Enamel Frame) ValueLine	1.00
Vise Systems Quick Change Vise Jaw Components		
CRV-30000	Tooling - CarveSmart Hard Vise Jaw Set - 6" Flat Hardened (60-62Rc) Ground (HJ6)	1.00
Toolholders CAT, BT and others		
PIO-CAT40-SM075-0175	Toolholder - CAT40 SM 3/4" Pilot 1.75" Proj	1.00
Lathe Holders OD Turning, Knurl and Misc Hardware		
DOR-73310121820	Toolholder - Knurl 1" Shank (1/2" Wide Knurl Roller)	1.00
DOR-73310126240	Knurl Roller - Straight 20 pitch HSS (1/2" Wide)	1.00
DOR-73310150312	(.750) Toolholder - MDJNR-12-3B (Std Lock Pin) Clamp	1.00
DOR-73310150314	(1.00) Toolholder - MDJNR-16-3C (Std Lock Pin) Clamp	1.00
DOR-73310150332	(1.00) Toolholder - MDJNR-164D-(Std Lock Pin) Clamp	1.00
DOR-73310151067	(1.00) Toolholder - MVJNL-16-3C (Std Lock Pin)	1.00
DOR-73310151066	(1.00) Toolholder - MVJNR-16-3C(Std Lock Pin)	2.00
DOR-73310151264	(1.00) Toolholder MWLNR-16-3C (Std Lock Pin) Clamp	1.00
DOR-73310152048	(1.00) Toolholder - SVJCR-16-3D (VCMT-3 Screw Style)	1.00
TUN-6864425	Toolholder-Threading Laydown - OD (16ER) 1" x 5"OAL	1.00
DOR-73310190907	Tooling - L/R Clamp Screw - MCLNR holder XNS-48	3.00
Lathe Holders ID Boring Bars		
EVE-00109	(.1875) Boring Bar-Carbide 3/16" (CDCD-07 Style)	2.00
TUN-6805919	(.375) Boring Bar-Indexable Steel 3/8" dia x 5" OAL S06-SCLCR (.500 Min Bore) CCMT-2 style	1.00
TUN-6805942	(.500) Boring Bar - Indexable Steel 1/2" dia x 6" OAL S08-SCLCR2 (.625 Min Bore) CCMT-2 Style	2.00

Item	Description	Qty on hand
TUN-6805960	(.625) Boring Bar-Indexable - 5/8" Dia S10-SCLCR3 (CCMT-3 type)..	1.00

Micro 100	SC Face Groove Bars
------------------	----------------------------

MICRO-FG312050	Solid Carbide Face Groove Bar (.050-.052 Wide)(.320 Min Dia x .050 Proj)..	3.00
MICRO-FG375125	Solid Carbide Face Groove Bar - .385 Min Groove Dia x .125 wide x .100 Proj. (3/8" Shk)	2.00

Micro 100	SC ID Full Rad Groove Bars
------------------	-----------------------------------

MICRO-FR01710	Solid Carbide Full Radius Groove Bar - (.017 Wide x .050 Proj) .250 Min Bore x .625 Reach	2.00
MICRO-FR03010	Solid Carbide Full Radius Groove Bar - (.030 Wide x .050 Proj) .250 Min Bore x .625 Reach	2.00
MICRO-FR04616	Solid Carbide Full Radius Groove Bar - (.046 Wide x .100 Proj) .375 Min Bore x 1.00 Reach	2.00
MICRO-FR06216	Solid Carbide Full Radius Groove Bar - (.062 Wide x .100 Proj) .375 Min Bore x 1.00 Reach	1.00
MICRO-FR06220	Solid Carbide Full Radius Groove Bar - (.062 Wide x .100 Proj) .375 Min Bore x 1.250 Reach	1.00
MICRO-FR069-4	Solid Carbide Full Radius Groove Bar - (.069 Wide x .100 Proj) .375 Min Bore x .250 Reach..	4.00
MICRO-FR12516	Solid Carbide Full Radius Groove Bar - (.125 Wide x .150 Proj) .500 Min Bore x 1.00 Reach	1.00
MICRO-FR12524	Solid Carbide Full Radius Groove Bar - (.125 Wide x .150 Proj) .500 Min Bore x 1.500 Reach	1.00

Micro 100	SC ID Threading Bars
------------------	-----------------------------

MICRO-IT180500	Solid Carbide Internal Thread Bar (60°)(RH) - (.040 Proj. x .023 Offset) .180" Min Bore x .500" reach	2.00
----------------	---	------

Micro 100	SC Engraving Tools
------------------	---------------------------

MICRO-RSC1252	(.125) Engraving Tool-Carb - 60° Split End - 1/8x3/8x2 (Double End)	4.00
MICRO-RSC-187-2	(.1875) Engraving Tool-Carb - 60 deg Split 3/16" x 3/8: x 2" OAL (3/16" Shk)(Bright) (DE)	4.00
MICRO-RSC2502	(.250) Engraving Tool-Carb - 60° Split End - 1/4x1/2x2-1/2 (Double End)	4.00

Micro 100	Undercut Boring Bars
------------------	-----------------------------

MICRO-UP-25030-16	SC-Undercut Bar(.031"W x .050" Proj)-(.260" Min Bore x 1" LOC) (1/4" shank x 2.5" OAL)	4.00
-------------------	--	------

Groove Inserts	Tool-Flo ID Groove Inserts
-----------------------	-----------------------------------

TFLO-562631LA3	Insert - FloLock #2 FLG-2031L C3 (.031" wide)	10.00
----------------	---	-------

Groove Holders	Tool-Flo OD and ID Thread and Groove Holders
-----------------------	---

Item	Description	Qty on hand
TFLO-96501008	(.625) Boring Bar-FloLock Steel 5/8" Dia x 10" OAL (1.00 Min Bore) A10-FLER2 (Coolant Thru)(#2 LH Insert)	1.00
TFLO-93401616C	(1.00) Toolholder-FloLock OD FLSR-163C (#3)	1.00

Thread/Turning	Holders and Inserts
----------------	---------------------

CAR-SEL0500F16	(.500") External Thread Turning Toolholders SEL 0500 F16	1.00
----------------	--	------

Turning Inserts	ISO Standard
-----------------	--------------

ZCC-4230000054	Insert - ZCC - CCMT09T302-HF YBG202 CCMT3(2.5)0-HF	9.00
EVE-04070	Insert - Everede - CDCD-07-CM2 (Uncoated)	10.00
ZCC-4220000630	Insert - ZCC - CNMG 432-DR YBC152	3.00
ZCC-4220000632	Insert - ZCC - CNMG 432-DR YBC252	3.00
ZCC-4220005086	Insert - ZCC - CNMG 432-EM YBM253	3.00
ZCC-4220000102	Insert - ZCC - CNMG 432-EM YBG302	3.00
ZCC-4220005216	Insert - ZCC - CNMG 432-ER YBM151	3.00
ZCC-4220000642	Insert - ZCC - CNMG 432-EM YBM251	3.00
KOM-W30040600404	Insert - Komet - W30 04060.0404 P40	27.00
COB-40591	Insert - Cobra Carbide - SNMG 321 CM14	10.00
COB-40792	Insert - Cobra Carbide - SPG 433 CM14	30.00
GRL-GA5026	Insert - Greenleaf - VNGG 330.6A-TF GA5026	4.00
SUM-19DF293	Insert - Sumitomo - VNMA332-AC300G	19.00
CER-11186987	Insert - Ceratizit - VPGT 1003FL TSM30	30.00

Part Off & Face Grv	Holders and Inserts - Tungaloy and Iscar
---------------------	--

TUN-6822111	Insert-Partoff GE30-AL KS05F (3mm wide) (Alum) Neutral Single End	10.00
ISC-6200088	Insert-Grooving 5mm wide GRIP-5005Y IC354	10.00
TUN-6861211	Toolholder-Partoff Blade-My-T - CCH26-30 (3mm wide x 1" Tall)	1.00
ISC-2500127	Toolholder-Integral Face Groove HFHR-25.4-45-5T25	1.00
TUN-7001912	Wrench - TungCut CRW33 for 2-6mm insert width blades	5.00

Milling/Drill Inserts

Item	Description	Qty on hand
TUN-6853819	Insert-Milling ASMT170508PDPR-MJ T3130 (Steel & SS)	10.00
TUN-6707135	Insert-Milling LNMU0303ZER-MJ AH3035 ..	10.00
TUN-6861446	Insert-Drilling XPMT07H308R-DS AH725	10.00
TUN-6853856	Insert - Milling - SWMT1304PDPR-MJ T3130 (Alloy & SS)	10.00
KEN-2383598	Insert - Milling - SDCT 435 FNLE KC410M	15.00
KEN-2383597	Insert - Milling - SDCT 434 FNLE KC410M	20.00
KEN-2383600	Insert - Milling - SDCT 438 FNLE KC410M	20.00
SUM-10783	Insert - Milling - TBGP520R	10.00

End Mills	Carbide 2FL Uncoated	
MC-1022812	(.2813) Em-Carb 2FL 9/32 dia x 3/4" loc x 2-1/2" oal (5/16 shk)	2.00
YG1-01588	(.4375) Em-Carb 2FL 7/16x1x2-3/4 (Std)(7/16' Shk)	2.00
YG1-01595	(.625) Em-Carb 2FL 5/8x1-1/4x3-1/2 (Std)(5/8' Shk)	1.00
MC-1023125	(.3125) Em-Carb 2fl 5/16" dia x 1" loc x 2-1/2" oal (5/16 shk)	1.00

End Mills	Carbide 4FL Coated	
YG1-07573TF	(.250) Em-Carb 4FL 1/4x3/4x2-1/2 (Std) TiAlN Futura (1/4' Shk)	4.00
COB-22444	(.2656) Em-Carb 4FL 17/64" x 3/4" LOC x 5/16" SHK (TiAlN)	5.00
COB-22468	(.2968) Em-Carb 4FL 19/64" x 13/16" LOC (5/16" SHK) (TiAlN)	4.00

End Mills	Carbide 4FL Uncoated	
MC-1041406	(.1406) Em-Carb 4fl 9/64 dia x 37/64 loc x 2" oal (3/16 shk)	1.00
MC-1042812	(.2813) Em-Carb 4fl 9/32" dia x 13/16" loc x 2-1/2" oal (5/16 shk)	2.00

End Mills - HP	Variable Helix - Variable Pitch - Inch and Metric	
YG1-EMB13020	(.3125) Em-Carb 4FL CR 5/16x13/16x2-1/2 (.020 Rad)(Std) AlTiN (5/16' Shk)(Variable Flute)(V7)	6.00
YG1-EMB14030	(.1181) Em-Carb 4FL 3x8x57mm (Long) AlTiN (6mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB12010	(.1562) Em-Carb 4FL 5/32x7/16x2 (Std) AlTiN (3/16' Shk)(Variable Flute)(V7)	3.00
YG1-EMB14040	(.1575) Em-Carb 4FL 4x11x57mm (Long) AlTiN (6mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB12012	(.1875) Em-Carb 4FL 3/16x7/16x2 (Std) AlTiN (3/16' Shk)(Variable Flute)(V7)	1.00
YG1-EMC76012	(.1875) Em-Carb 4FL CR 3/16x3/16x2 (.015 Rad)(Stub) AlTiN (3/16' Shk)(Variable Flute)(V7)	1.00

Item	Description	Qty on hand
YG1-EMB14050	(.1969) Em-Carb 4FL 5x13x57mm (Long) AlTiN (6mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB12014	(.2188) Em-Carb 4FL 7/32x7/16x2-1/2 (Std) AlTiN (1/4' Shk)(Variable Flute)(V7)	2.00
YG1-EMB14060	(.2362) Em-Carb 4FL 6x13x57mm (Long) AlTiN (6mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB14080	(.315) Em-Carb 4FL 8x19x63mm (Long) AlTiN (8mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB38024	(.375) Em-Carb 4FL CR 3/8x7/8x2-1/2 (.020 Rad)(Std) AlTiN (3/8' Weldon Shk)(Variable Flute)(V7)	16.00
YG1-EMB14100	(.3937) Em-Carb 4FL 10x22x72mm (Long) AlTiN (10mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB37028	(.4375) Em-Carb 4FL 7/16x1x2-3/4 (Std) AlTiN (7/16' Weldon Shk)(Variable Flute)(V7)	2.00
YG1-EMB38028	(.4375) Em-Carb 4FL CR 7/16x1x2-3/4 (.020 Rad)(Std) AlTiN (7/16' Weldon Shk)(Variable Flute)(V7)	4.00
YG1-EMB39120	(.4724) Em-Carb 4FL 12x26x83mm (Long) AlTiN (12mm Shk)(Variable Flute)(V7)	2.00
YG1-EMD60032	(.500) Em-Carb 4FL 1/2x1/2x3 (Stub) AlTiN (1/2' Weldon Shk)(Variable Flute)(V7)	4.00
YG1-EMB39140	(.5512) Em-Carb 4FL 14x26x83mm (Long) AlTiN (14mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB37040	(.625) Em-Carb 4FL 5/8x1-1/4x3-1/2 (Std) AlTiN (5/8' Weldon Shk)(Variable Flute)(V7)	2.00
YG1-EMB38040	(.625) Em-Carb 4FL CR 5/8x1-1/4x3-1/2 (.040 Rad)(Std) AlTiN (5/8' Weldon Shk)(Variable Flute)(V7)	4.00
YG1-EMB39160	(.6299) Em-Carb 4FL 16x32x92mm (Long) AlTiN (16mm Shk)(Variable Flute)(V7)	2.00
YG1-EMB20480	(.750) Em-Carb 4FL 3/4x1x4-1/4 (2-1/4" Lbs)(LR) AlTiN (3/4" Weldon Shk)(Variable Flute)(V7)..	2.00
YG1-EMB38048	(.750) Em-Carb 4FL CR 3/4x1-1/2x4 (.040 Rad)(Std) AlTiN (3/4' Weldon Shk)(Variable Flute)(V7)	3.00
YG1-EMD61048	(.750) Em-Carb 4FL CR V7 3/4" x 3/4" LOC x 3" OAL (AlTiN) (.040 Rad) (3/4" Shk)	2.00

END MILLS	Aluminum 2 FL	
YG1-21554	(.0625) Em-Carb 2FL AL 42° 1/16x1/8x1-1/2 (Std)(1/8' Shk)	1.00
YG1-21556	(.0938) Em-Carb 2FL AL 42° 3/32x1/4x1-1/2 (Std)(1/8' Shk)	2.00
YG1-21601	(.125) Em-Carb 2FL AL 42° 1/8x5/16x1-3/4 (Std)(1/4' Shk)	4.00
YG1-21566	(.1875) Em-Carb 2FL AL 42° 3/16x7/16x2 (Std)(1/4' Shk)	7.00
YG1-21574	(.250) Em-Carb 2FL AL 42° 1/4x3/4x2-1/2 (Std)(3/8' Shk)	4.00
YG1-21580	(.3125) Em-Carb 2FL AL 42° 5/16x13/16x2-1/2 (Std)(3/8' Shk)	2.00
YG1-21584	(.375) Em-Carb 2FL AL 42° 3/8x1x2-1/2 (Std)(3/8' Shk)	4.00
YG1-21588	(.4375) Em-Carb 2FL AL 42° 7/16x1x2-3/4 (Std)(7/16' Shk)	2.00
YG1-21595	(.625) Em-Carb 2FL AL 42° 5/8x1-1/4x3-1/2 (Std)(5/8' Shk)	1.00
YG1-21902	(.750) Em-Carb 2FL AL 42° 3/4x3x5-1/2 (Long)(3/4' Shk)	1.00

END MILLS	2 FL Ball Nose	
BEN-25012504BN	(.125) Em-Carb 2FL Ball AL 50° 1/8x1/4x1-1/2 (Stub)(1/8' Shk)	3.00

Item	Description	Qty on hand
YG1-EM838020	(.0787) Em-Carb 2FL Ball 2x6x80mm (LR) TiAlN Extreme (3mm Shk)(X-Power)	4.00
YG1-EM838030	(.1181) Em-Carb 2FL Ball 3x8x100mm (LR) TiAlN Extreme (3mm Shk)(X-Power)	4.00
BEN-25018710BN	(.1875) Em-Carb 2FL Ball AL 50° 3/16x5/8x2-1/2 (Std)(3/16' Shk)	4.00
BEN-25025012BN	(.250) Em-Carb 2FL Ball AL 50° 1/4x3/4x2-1/2 (Std)(1/4' Shk)	7.00
BEN-25037516BN	(.375) Em-Carb 2FL Ball AL 50° 3/8x1x2-1/2 (Std)(3/8' Shk)	2.00
BEN-25037524BN	(.375) Em-Carb 2FL Ball AL 50° 3/8x1-1/2x4 (Long)(3/8' Shk)	2.00
BEN-25043716BN	(.4375) Em-Carb 2FL Ball AL 50° 7/16x1x2-3/4 (Std)(7/16' Shk)	2.00
BEN-25062526BN	(.625) Em-Carb 2FL Ball AL 50° 5/8x1-5/8x3-1/2 (Std)(5/8' Shk)	1.00
BEN-25075026BN	(.750) Em-Carb 2FL Ball AL 50° 3/4x1-5/8x4 (Std)(3/4' Shk)	1.00

END MILLS	Aluminum 3 FL Square End (Multi-Lengths)
-----------	--

BEN-35012516	(.125) Em-Carb 3FL AL 37° 1/8x1x2-1/2 (XL)(1/8" Shk)..	5.00
BEN-35037516	(.375) Em-Carb 3FL AL 37° 3/8x1x2-1/2 (Std)(3/8" Shk)..	15.00

End Mills	Miniature 2 and 4 Flute Misc
-----------	------------------------------

COB-20005	(.0156) Em-Carb 2FL 1/64" x 1/32" LOC x 1-1/2" OAL 1/8" SHK (Bright)	7.00
COB-22036	(.0312) Em-Carb 4FL 1/32" x 1/8" LOC x 1-1/2" OAL (TiAlN)	11.00
COB-23017	(.0312) Em-Carb 4FL Stub Ball 1/32" x 1/16" LOC x 1-1/2" OAL (TiAlN)	3.00
COB-21123	(.0468) Em-Carb 2FL Ball Stub 3/64" x 3/32" x 1-1/2" OAL (TiAlN)(1/8" Shk)	4.00
COB-99291	(.0625) 1/16" dia ball 4 FL x .200 Flute Length x 650"lbs x .060" neck dia. X 1/8" shank (AlTiN Coated) 35° helix..	11.00
COB-99293	(.0625) Em-Carb 1/16" dia 4 FL x .200 Flute Length x 1/2"lbs x .060" neck dia. X 1/8" shank (AlTiN Coated) ** Special	19.00
COB-20089	(.078) Em-Carb 2FL 5/64" x 1/4" LOC x 1-1/2" OAL (Uncoated) (1/8" Shk)	5.00
COB-21159	(.078) Em-Carb 2FL Ball Stub 5/64" x 3/16" x 1-1/2" OAL (TiAlN) (1/8" Shk)	9.00
COB-21180	(.0937) Em-Carb 2FL Ball Stub 3/32" x 3/16" x 1-1/2" (TiAlN) (1/8" Shk)	6.00
COB-99292	(.0937) Em-Carb 3/32" dia 4 FL x .200 Flute Length x 3/4" lbs x .090 neck dia. X 1/8" shank (AlTiN coated)	30.00
MAFORD-14009370A	(.0937) Em-Carb 4 FI Ball 3/32" x 1/8" shank x 9/32. LOC AlTiN	12.00
HAR-32405-C3	(.125) Em-Carb 4FL CR 1/8" x 1/2" x 1-1/2" (AlTiN) (1/8" Shk) (.005R)	6.00

End Mills	4 FI Stub Length - Coated
-----------	---------------------------

YG1-31558TF	(.125) Em-Carb 4FL 1/8x1/4x1-1/2 (Stub) TiAlN Futura (1/8' Shk)	2.00
YG1-31570TF	(.2188) Em-Carb 4FL 7/32x7/16x2 (Stub) TiAlN Futura (1/4' Shk)	2.00
YG1-31573TF	(.250) Em-Carb 4FL 1/4x1/2x2 (Stub) TiAlN Futura (1/4' Shk)	5.00

Item	Description	Qty on hand
YG1-31588TF	(.4375) Em-Carb 4FL 7/16x5/8x2-1/2 (Stub) TiAIN Futura (7/16' Shk)	1.00

End Mills	Double End 2 FI Stub Length - Coated	
YG1-32552TF	(.0312) Em-Carb 2FL DE 1/32x1/16x1-1/2 (Stub) TiAIN Futura (1/8' Shk)	5.00
YG1-32553TF	(.0469) Em-Carb 2FL DE 3/64x3/32x1-1/2 (Stub) TiAIN Futura (1/8' Shk)	4.00
YG1-32555TF	(.0781) Em-Carb 2FL DE 5/64x1/8x1-1/2 (Stub) TiAIN Futura (1/8" Shk)..	6.00
YG1-32562TF	(.1562) Em-Carb 2FL DE 5/32x5/16x2 (Stub) TiAIN Futura (3/16' Shk)	1.00
YG1-32579TF	(.3125) Em-Carb 2FL DE 5/16x1/2x2-1/2 (Stub) TiAIN Futura (5/16' Shk)	2.00
YG1-32593TF	(.500) Em-Carb 2FL DE 1/2x5/8x3 (Stub) TiAIN Futura (1/2' Shk)	2.00

End Mills	Double End 2 FI	
MC-3021562	(.1562) Em-Carb 2fl DE 5/32 dia x 1/2" loc x 2" oal	1.00
MC-3025000	(.500) EM-Carb 2fl DE 1/2" dia x 5/8" loc x 3" oal	3.00

End Mills	3 Flute TiAIN Coated	
YG1-83904TE	(.375) Em-Carb 3FL 50° 3/8x1-1/2x3-1/2 (Std) TiAIN Extreme (3/8' Shk)	1.00

End Mills	Double End 4 FI Stub Length - Coated	
YG1-33570TF	(.2188) Em-Carb 4FL DE 7/32x1/2x2-1/2 (Stub) TiAIN Futura (1/4' Shk)	1.00

End Mills	Double End 4 FI	
MC-3045000	(.500) Em-Carb 4FL DE 1/2" x 5/8" loc x 3" oal	1.00

End Mills	HSS	
ONY-.500 7644 PMX	(.500) Em-HSS 4fl 1/2" dia x 1-1/2" loc x 3-1/4" oal Rougher	2.00
ONY-.3750 7644 PMX	(.3750" Em-HSS 4fl 3/8" dia x 3/4" locx 2-1/2" oal Rougher	3.00

Thread Mills	Full Form Carbide Threadmills - Metric, Inch, NPT	
YG1-TD200	Threadmill-Carb Spfl Int 3FL M3x,5 (.085 Dia. x .178 Loc)(1/8' Shk x 2' Oal) TiAIN	1.00
YG1-TD240	Threadmill-Carb Spfl Int 3FL M4x,7 (.115 Dia. x .276 Loc)(1/8' Shk x 2' Oal) TiAIN	1.00

Item	Description	Qty on hand
YG1-TD280	Threadmill-Carb Spfl Int 3FL M5x,8 (.12 Dia. x .312 Loc)(1/8' Shk x 2' Oal) TiAIN	1.00
YG1-TD310	Threadmill-Carb Spfl Int 3FL M6x1 (.17 Dia. x .5 Loc)(3/16' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TD360	Threadmill-Carb Spfl Int 3FL M8x1,25 (.235 Dia. x .625 Loc)(1/4' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TD420	Threadmill-Carb Spfl Int 4FL M10x1,5 (.3 Dia. x .75 Loc)(5/16' Shk x 3' Oal) TiAIN	1.00
YG1-TD500	Threadmill-Carb Spfl Int 4FL M12x1,75 (.36 Dia. x .875 Loc)(3/8' Shk x 3-1/2' Oal) TiAIN	1.00
YG1-TE080	Threadmill-Carb Spfl Int 3FL 2-56 (.065 Dia. x .125 Loc)(1/8' Shk x 2' Oal) TiAIN	1.00
YG1-TE160	Threadmill-Carb Spfl Int 3FL 4-40 (.085 Dia. x .175 Loc)(1/8' Shk x 2' Oal) TiAIN	2.00
YG1-TE240	Threadmill-Carb Spfl Int 3FL 6-32 (.1 Dia. x .218 Loc)(1/8' Shk x 2' Oal) TiAIN	2.00
YG1-TE280	Threadmill-Carb Spfl Int 3FL 8-32 (.115 Dia. x .25 Loc)(1/8' Shk x 2' Oal) TiAIN	2.00
YG1-TE320	Threadmill-Carb Spfl Int 3FL 10-24 (.12 Dia. x .312 Loc)(1/8' Shk x 2' Oal) TiAIN	2.00
YG1-TE400	Threadmill-Carb Spfl Int 3FL 1/4-20 (.18 Dia. x .5 Loc)(3/16' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TE420	Threadmill-Carb Spfl Int 3FL 1/4-28 (.18 Dia. x .5 Loc)(3/16' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TE440	Threadmill-Carb Spfl Int 3FL 5/16-18 (.235 Dia. x .625 Loc)(1/4' Shk x 2-1/2' Oal) TiAIN	2.00
YG1-TE460	Threadmill-Carb Spfl Int 3FL 5/16-24 (.235 Dia. x .625 Loc)(1/4' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TE480	Threadmill-Carb Spfl Int 4FL 3/8-16 (.285 Dia. x .75 Loc)(5/16' Shk x 3' Oal) TiAIN	2.00
YG1-TE500	Threadmill-Carb Spfl Int 4FL 3/8-24 (.285 Dia. x .75 Loc)(5/16' Shk x 3' Oal) TiAIN	2.00
TMUSA-TM50013	Threadmill-Carb Int 4FL 1/2-13 (.350 Dia) Spfl TiAIN	3.00
YG1-TE580	Threadmill-Carb Spfl Int 4FL 1/2-20 (.37 Dia. x 1 Loc)(3/8' Shk x 3-1/2' Oal) TiAIN	1.00
TMUSA-TM56218	Threadmill-Carb Int 4FI 9/16-18 (.370 Dia) Spfl TiAIN	3.00
YG1-TE640	Threadmill-Carb Spfl Int 4FL 5/8-11 (.47 Dia. x 1.25 Loc)(1/2' Shk x 3-1/2' Oal) TiAIN	2.00
YG1-TE700	Threadmill-Carb Spfl Int 4FL 3/4-10 (.495 Dia. x 1.25 Loc)(1/2' Shk x 3-1/2' Oal) TiAIN	1.00
YG1-TG020	Threadmill-Carb Spfl Int 3FL 1/16-27, 1/8-27 Nptf (.245 Dia. x .437 Loc)(1/4' Shk x 2-1/2' Oal) TiAIN	1.00
YG1-TG400	Threadmill-Carb Spfl Int 4FL 1/4-18, 3/8-18 Nptf (.305 Dia. x .625 Loc)(5/16' Shk x 3' Oal) TiAIN	2.00
YG1-TG560	Threadmill-Carb Spfl Int 4FL 1/2-14, 3/4-14 Nptf (.495 Dia. x .875 Loc)(1/2' Shk x 3-1/2' Oal) TiAIN	1.00
YG1-TG780	Threadmill-Carb Spfl Int 4FL 1-11-1/2, 2-11-1/2 Nptf (.62 Dia. x 1.125 Loc)(5/8' Shk x 4' Oal) TiAIN	1.00

Dovetail

Micro100 Carbide Dovetail Cutter

MICRO-DT-375-090-10	(.375) Dovetail Cutter-Carb 3FL 3/8" x .127 length x .150 Neck x 2.5" OAL (Bright) (3/8" Shk)	1.00
---------------------	---	------

Chamfer Mills

2FL 60 and 90 degree

BEN-921250090C11	(.125) Em-Carb Chamfer 2FL 90° 1/8x1/16x1-1/2 AlTiN (1/8' Shk)	3.00
BEN-921875090C11	(.1875) Em-Carb Chamfer 2FL 90° 3/16x1/8x2' AlTiN (3/16' Shk)	5.00

Item	Description	Qty on hand
BEN-922500060C11	(.250) Em-Carb Chamfer 2FL 60° 1/4x3/16x2-1/2 AITiN (1/4' Shk)	2.00
BEN-923750060C11	(.375) Em-Carb Chamfer 2FL 60° 3/8x5/16x2-1/2 AITiN (3/8' Shk)	3.00
BEN-923750090C11	(.375) Em-Carb Chamfer 2FL 90° 3/8x5/16x2-1/2 AITiN (3/8' Shk)	6.00
BEN-925000090C11	(.500) Em-Carb Chamfer 2FL 90° 1/2x7/16x3' AITiN (1/2' Shk)	10.00
BEN-927500090C11	(.750) Em-Carb Chamfer 2FL 90° 3/4x5/8x4' AITiN (3/4' Shk)	2.00

Chamfer Mills	4FL 60 and 90 degree
---------------	----------------------

BEN-942500090C11	(.250) Em-Carb Chamfer 4FL 90° 1/4x3/16x2-1/2 AITiN (1/4' Shk)	6.00
PMX-135-01534	(.250) Em-Carb Chamfer 90° 4FL 1/4"x .100 x 2-1/2" (DE) (.118° drill point) AITiN	4.00
BEN-945000060C11	(.500) Em-Carb Chamfer 4FL 60° 1/2x7/16x3' AITiN (1/2' Shk)	2.00
BEN-947500090C11	(.750) Em-Carb Chamfer 4FL 90° 3/4x5/8x4' AITiN (3/4' Shk)	1.00

Key Seat Cutters	Standard and Narrow Widths
------------------	----------------------------

PTS-AV4362010	Keyseat-Hss RH Str 1/4' Dia x 1/16' Width x 2-1/16' Oal (8 Teeth) #202 (1/2' Shk)	2.00
PTS-AV4362030	Keyseat-Hss RH Str 3/8' Dia x 1/16' Width x 2-1/16' Oal (8 Teeth) #203 (1/2' Shk)	2.00
PTS-AV4362040	Keyseat-Hss RH Str 1/2' Dia x 1/16' Width x 2-1/16' Oal (10 Teeth) #204 (1/2' Shk)	1.00
PTS-AV4363030	Keyseat-Hss RH Str 3/8' Dia x 3/32' Width x 2-3/32' Oal (8 Teeth) #303 (1/2' Shk)	1.00
PTS-AV4363040	Keyseat-Hss RH Str 1/2' Dia x 3/32' Width x 2-3/32' Oal (10 Teeth) #304 (1/2' Shk)	1.00
PTS-AV4364030	Keyseat-Hss RH Str 3/8' Dia x 1/8' Width x 2-1/8' Oal (8 Teeth) #403 (1/2' Shk)	2.00
PTS-AV4364040	Keyseat-Hss RH Str 1/2' Dia x 1/8' Width x 2-1/8' Oal (10 Teeth) #404 (1/2' Shk)	2.00
PTS-AV4364050	Keyseat-Hss RH Str 5/8' Dia x 1/8' Width x 2-1/8' Oal (10 Teeth) #405 (1/2' Shk)	2.00
PTS-AV4364060	Keyseat-Hss RH Str 3/4' Dia x 1/8' Width x 2-1/8' Oal (10 Teeth) #406 (1/2' Shk)	1.00
PTS-AV4365060	Keyseat-Hss RH Str 3/4' Dia x 5/32' Width x 2-5/32' Oal (10 Teeth) #506 (1/2' Shk)	2.00
PTS-AV4366060	Keyseat-Hss RH Str 3/4' Dia x 3/16' Width x 2-3/16' Oal (10 Teeth) #606 (1/2' Shk)	2.00
PTS-AV4366080	Keyseat-Hss RH Str 1' Dia x 3/16' Width x 2-3/16' Oal (8 Teeth) #608 (1/2' Shk)	2.00
PTS-AV4366100	Keyseat-Hss RH Str 1-1/4' Dia x 3/16' Width x 2-3/16' Oal (14 Teeth) #610 (1/2' Shk)	2.00
PTS-AV4367080	Keyseat-Hss RH Str 1' Dia x 7/32' Width x 2-7/32' Oal (12 Teeth) #708 (1/2' Shk)	1.00
PTS-AV4367100	Keyseat-Hss RH Str 1-1/4' Dia x 7/32' Width x 2-7/32' Oal (14 Teeth) #710 (1/2' Shk)	2.00
PTS-AV4368060	Keyseat-Hss RH Str 3/4' Dia x 1/4' Width x 2-1/4' Oal (10 Teeth) #806 (1/2' Shk)	1.00
PTS-AV4368080	Keyseat-Hss RH Str 1' Dia x 1/4' Width x 2-1/4' Oal (12 Teeth) #808 (1/2' Shk)	2.00
PTS-AV4368100	Keyseat-Hss RH Str 1-1/4' Dia x 1/4' Width x 2-1/4' Oal (14 Teeth) #810 (1/2' Shk)	2.00
PTS-AV4368120	Keyseat-Hss RH Str 1-1/2' Dia x 1/4' Width x 2-1/4' Oal (16 Teeth) #812 (1/2' Shk)	2.00

Item	Description	Qty on hand
PTS-AV4360010	Keyseat-Hss RH Str 1-1/4' Dia x 5/16' Width x 2-5/16' Oal (14 Teeth) #1010 (1/2' Shk)	2.00
PTS-AV4360080	Keyseat-Hss RH Str 1' Dia x 5/16' Width x 2-5/16' Oal (12 Teeth) #1008 (1/2' Shk)	2.00
PTS-AV4360120	Keyseat-Hss RH Str 1-1/2' Dia x 5/16' Width x 2-5/16' Oal (16 Teeth) #1012 (1/2' Shk)	1.00
PTS-AV4362080	Keyseat-Hss RH Str 1' Dia x 3/8' Width x 2-3/8' Oal (12 Teeth) #1208 (1/2' Shk)	1.00
PTS-AV4362100	Keyseat-Hss RH Str 1-1/4' Dia x 3/8' Width x 2-3/8' Oal (14 Teeth) #1210 (1/2' Shk)	1.00
PTS-AV4362120	Keyseat-Hss RH Str 1-1/2' Dia x 3/8' Width x 2-3/8' Oal (16 Teeth) #1212 (1/2' Shk)	1.00
PTS-AV4369100	Keyseat-Hss RH Str 1' Dia x 1/16' Width x 2' Oal (12 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369280	Keyseat-Hss RH Str 1-1/2' Dia x 1/16' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369279	Keyseat-Hss RH Str 1-1/2' Dia x 3/64' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369290	Keyseat-Hss RH Str 1-1/2' Dia x 3/32' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369300	Keyseat-Hss RH Str 1-1/2' Dia x 1/8' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369310	Keyseat-Hss RH Str 1-1/2' Dia x 5/32' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00
PTS-AV4369320	Keyseat-Hss RH Str 1-1/2' Dia x 3/16' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	1.00
PTS-AV4369330	Keyseat-Hss RH Str 1-1/2' Dia x 7/32' Width x 2' Oal (16 Teeth) Narrow (1/2' Shk)	2.00

Spot Drills	HSS/Cobalt & Carbide	
FUL-15459	(.2362) Spot Drill- Carb 90° - 6mm x .25mm x 64mm (Std) Bright (6mm Shk)..	6.00
MORSE-11936	(.250) Spot Drill-Cob 82° - 1/4" x 7/8" x 2-5/8" (Std) Bright (1/4" Shk)	3.00
MORSE-11937	(.375) Spot Drill - Cob 82 Deg. - 3/8" x 1" x 3" OAL (Std) Bright (3/8" Shk)	3.00
MORSE-11938	(.500) Spot Drill-Cob 82 Deg - 1/2" x 1-3/8" x 4" OAL (Std) Bright (1/2" Shk)	3.00
MORSE-11939	(.625) Spot Drill-Cob 82 Deg - 5/8" x 1-3/8" x 4-1/2" OAL (Std) Bright (5/8" Shk)	2.00
MORSE-11940	(.750) Spot Drill-Cob 82 Deg - 3/4" x 1-1/2" x 5-3/16" OAL (Std) Bright (3/4" Shk)	4.00
YG1-0121L	(.1875) Spot Drill-Cbt 90° - 3/16' x .590' x 2-1/2' (Std) Bright (3/16' Shk)	1.00
YG1-0201L	(.3125) Spot Drill-Cbt 90° - 5/16' x .984' x 3-1/8' (Std) Bright (5/16' Shk)	3.00
YG1-0241L	(.375) Spot Drill-Cbt 90° - 3/8' x .827' x 3-1/2' (Std) Bright (3/8' Shk)	27.00
YG1-0401L	(.625) Spot Drill-Cbt 90° - 5/8' x 1.575' x 4-1/2' (Std) Bright (5/8' Shk)	5.00
YG1-0641L	(1.00) Spot Drill-Cbt 90° - 1' x 1.968' x 6-1/8' (Std) Bright (1' Shk)	2.00
YG1-2081L	(.125) Spot Drill-Cbt 120° - 1/8' x .472' x 2' (Std) Bright (1/8' Shk)	4.00
YG1-2121L	(.1875) Spot Drill-Cbt 120° - 3/16' x .590' x 2-1/2' (Std) Bright (3/16' Shk)	4.00
YG1-2201L	(.3125) Spot Drill-Cbt 120° - 5/16' x .984' x 3-1/8' (Std) Bright (5/16' Shk)	2.00
YG1-2481L	(.750) Spot Drill-Cbt 120° - 3/4' x 1.968' x 5-1/8' (Std) Bright (3/4' Shk)	1.00

Item	Description	Qty on hand
Countersinks		
PTS-AV4253188	(.125) Countersink-Hss 82° 1FL - 1/8' x 1-1/4' Oal (1/8' Shk)	4.00
PTS-AV4253189	(.125) Countersink-Hss 90° 1FL - 1/8' x 1-1/4' Oal (1/8' Shk)	3.00
PTS-AV4255040	(.125) Countersink-Hss 90° 6FL - 1/8' x 1-1/4' Oal (1/8' Shk)	4.00
PTS-AV4255041	(.1875) Countersink-Hss 90° 6FL - 3/16' x 1-3/8' Oal (3/16' Shk)	3.00
MAFORD-67025002	(.250) Countersink-Cbt 82° 0FL (.090" to .230") x 2" Oal (1/4" Shk)(Zero Flute)..	2.00
PTS-AV4250146	(.250) Countersink-Hss 60° 3FL 1/4' x 1-1/2' Oal (1/4' Shk)	2.00
PTS-AV4250148	(.250) Countersink-Hss 82° 3FL 1/4' x 1-1/2' Oal (1/4' Shk)	3.00
PTS-AV4253149	(.250) Countersink-Hss 90° 1FL - 1/4' x 1-1/2' Oal (1/4' Shk)	1.00
PTS-AV4255023	(.3125) Countersink-Hss 82° 6FL - 5/16' x 1-3/4' Oal (1/4' Shk)	2.00
PTS-AV4255024	(.375) Countersink-Hss 82° 6FL - 3/8' x 1-3/4' Oal (1/4' Shk)	2.00
PTS-AV4253388	(.375) Countersink-Hss 82° 1FL - 3/8' x 1-3/4' Oal (1/4' Shk)	2.00
PTS-AV4253511	(.375) Countersink-Cbt 82° 0FL (9/64' to 11/32') x 1-3/4' Oal (1/4' Shk)(Zero Flute)	3.00
PTS-AV4253521	(.375) Countersink-Cbt 90° 0FL (9/64' to 11/32') x 1-3/4' Oal (1/4' Shk)(Zero Flute)	1.00
PTS-AV4250386	(.375) Countersink-Hss 60° 3FL 3/8' x 1-3/4' Oal (1/4' Shk)	2.00
PTS-AV4250388	(.375) Countersink-Hss 82° 3FL 3/8' x 1-3/4' Oal (1/4' Shk)	2.00
MORSE-23509 (PTS-AV4250126)	(.500) Countersink-Hss 60° 3FL 1/2' x 2' Oal (1/4' Shk)	2.00
PTS-AV4250128	(.500) Countersink-Hss 82° 3FL 1/2' x 2' Oal (1/4' Shk)	2.00
PTS-AV4253128	(.500) Countersink-Hss 82° 1FL - 1/2' x 2' Oal (1/4' Shk)	2.00
PTS-AV4253129	(.500) Countersink-Hss 90° 1FL - 1/2' x 2' Oal (1/4' Shk)	3.00
PTS-AV4253512	(.500) Countersink-Cbt 82° 0FL (5/32' to 29/64') x 1-3/4' Oal (5/16' Shk)(Zero Flute)	3.00
PTS-AV4253522	(.500) Countersink-Cbt 90° 0FL (5/32' to 29/64') x 1-3/4' Oal (5/16' Shk)(Zero Flute)	2.00
PTS-AV4250586	(.625) Countersink-Hss 60° 3FL 5/8' x 2-1/4' Oal (3/8' Shk)	1.00
PTS-AV4253588	(.625) Countersink-Hss 82° 1FL - 5/8' x 2-1/4' Oal (3/8' Shk)	1.00
PTS-AV4253589	(.625) Countersink-Hss 90° 1FL - 5/8' x 2-1/4' Oal (3/8' Shk)	2.00
PTS-AV4255028	(.625) Countersink-Hss 82° 6FL - 5/8' x 2-1/4' Oal (3/8' Shk)	1.00
PTS-AV4255048	(.625) Countersink-Hss 90° 6FL - 5/8' x 2-1/4' Oal (3/8' Shk)	1.00
PTS-AV4255049	(.750) Countersink-Hss 90° 6FL - 3/4' x 2-5/8' Oal (1/2' Shk)	2.00
PTS-AV4250349	(.750) Countersink-Hss 90° 3FL 3/4' x 2-5/8' Oal (1/2' Shk)	2.00
PTS-AV4253348	(.750) Countersink-Hss 82° 1FL - 3/4' x 2-5/8' Oal (1/2' Shk)	1.00
PTS-AV4253514	(.750) Countersink-Cbt 82° 0FL (13/64' to 45/64') x 2-3/8' Oal (3/8' Shk)(Zero Flute)	1.00
PTS-AV4251006	(1.00) Countersink-Hss 60° 3FL 1' x 2-3/4' Oal (1/2' Shk)	1.00
PTS-AV4251008	(1.00) Countersink-Hss 82° 3FL 1' x 2-3/4' Oal (1/2' Shk)	2.00

Item	Description	Qty on hand
PTS-AV4251009	(1.00) Countersink-Hss 90° 3FL - 1' x 2-3/4' Oal (1/2' Shk)	1.00
PTS-AV4253109	(1.00) Countersink-Hss 90° 1FL - 1' x 2-3/4' Oal (1/2' Shk)	1.00
MEL-19224	(1.125) C-Sink Cbt 90 Deg Zero Flute (1/2" Shk) x 2-7/8 OAL	1.00

Drills	Carbide Drills	
YG1-DH404087	.3425 Drill-Carbide AltiN coated	2.00

TAPS	High Performance Spiral Flute Bottom Taps - Coated	
YG1-D2162	Tap-Spfl Btm 2FL HP 4-40 H2 Hardslick (2B/3B)	6.00
YG1-D2202	Tap-Spfl Btm 3FL HP 5-40 H2 Hardslick (2B/3B)	6.00
YG1-D2323	Tap-Spfl Btm 3FL HP 10-24 H3 Hardslick (2B/3B)	5.00
YG1-D2343	Tap-Spfl Btm 3FL HP 10-32 H3 Hardslick (2B)	2.00
YG1-D2403	Tap-Spfl Btm 3FL HP 1/4-20 H3 Hardslick (3B)..	5.00
YG1-D2423	Tap-Spfl Btm 3FL HP 1/4-28 H3 Hardslick (3B)	7.00
YG1-D2443	Tap-Spfl Btm 3FL HP 5/16-18 H3 Hardslick (3B)..	3.00
YG1-D2463	Tap-Spfl Btm 3FL HP 5/16-24 H3 Hardslick (3B)	3.00
YG1-D2483	Tap-Spfl Btm 3FL HP 3/8-16 H3 Hardslick (3B)..	4.00
YG1-D2485	Tap-Spfl Btm 3FL HP 3/8-16 H5 Hardslick (2B)	2.00
YG1-D2503	Tap-Spfl Btm 3FL HP 3/8-24 H3 Hardslick (3B)	3.00
YG1-D2523	Tap-Spfl Btm 3FL HP 7/16-14 H3 Hardslick (3B)..	6.00
YG1-D2525	Tap-Spfl Btm 3FL HP 7/16-14 H5 Hardslick (2B)	8.00
YG1-D2543	Tap-Spfl Btm 3FL HP 7/16-20 H3 Hardslick (3B)..	5.00
YG1-D2545	Tap-Spfl Btm 3FL HP 7/16-20 H5 Hardslick (2B)	5.00
YG1-D2565	Tap-Spfl Btm 3FL HP 1/2-13 H5 Hardslick (2B)	3.00
YG1-D2583	Tap-Spfl Btm 3FL HP 1/2-20 H3 Hardslick (3B)..	4.00
YG1-D2585	Tap-Spfl Btm 3FL HP 1/2-20 H5 Hardslick (2B)	8.00

TAPS	Metric Spiral Flute Bottom - Coated	
NAC-54619	Tap-Spfl Btm 3FL M5x0.8 D4 Oxide	3.00
YG1-E9426	Tap-Spfl Btm 3FL HP M10x1,5 D6 Hardslick (6H)(Din Shk)	3.00
YG1-E9435	Tap-Spfl Btm 3FL HP M10x1,25 D6 Hardslick	1.00
OSG-18642	Tap-Spfl Btm 3 fl M12x1.25 S/O (OH2)	5.00

Item	Description	Qty on hand
YG1-E9547	Tap-Spfl Btm 3FL HP M14x2 D7 Hardslick (6H)(Din Shk)	2.00
OSG-11705	Tap-Spfl Btm 3 fl M16x2.0 S/O (OH2)	3.00

TAPS		Spiral Flute Bottom - DIN (Long) Shank - Uncoated
YG1-G0202	Tap-Spfl Btm 3FL HP 5-40 H2 Din Shk Bright (2B/3B)	2.00
YG1-G0423	Tap-Spfl Btm 3FL HP 1/4-28 H3 Din Shk Bright (3B)	1.00
YG1-G0445	Tap-Spfl Btm 3FL HP 5/16-18 H5 Din Shk Bright (2B)	1.00
YG1-G0463	Tap-Spfl Btm 3FL HP 5/16-24 H3 Din Shk Bright (3B)	1.00
YG1-G0485	Tap-Spfl Btm 3FL HP 3/8-16 H5 Din Shk Bright (2B)	1.00
YG1-G0503	Tap-Spfl Btm 3FL HP 3/8-24 H3 Din Shk Bright (3B)	4.00
YG1-G0525	Tap-Spfl Btm 3FL HP 7/16-14 H5 Din Shk Bright (2B)	1.00
YG1-G0545	Tap-Spfl Btm 3FL HP 7/16-20 H5 Din Shk Bright (2B)	1.00
YG1-G0565	Tap-Spfl Btm 3FL HP 1/2-13 H5 Din Shk Bright (2B)	1.00
YG1-G0585	Tap-Spfl Btm 3FL HP 1/2-20 H5 Din Shk Bright (2B)	1.00

TAPS		Spiral Flute Bottom - Metric - Uncoated
PTS-EP4072119	Tap - M2.5x.45 2FL D1 Fast Spiral (Bright)	5.00
YG1-G4203	Tap-Spfl Btm 3FL HP M3x,5 D3 Bright (6H)	8.00
YG1-G4224	Tap-Spfl Btm 3FL HP M3,5x,6 D4 Bright (6H)	2.00
YG1-G4345	Tap-Spfl Btm 3FL HP M7x1 D5 Bright (6H)	2.00
YG1-G4375	Tap-Spfl Btm 3FL HP M8x1 D5 Bright (6H)	2.00
NAT	Tap-Spfl Btm 3FL M8x1.25 HSG +.003	14.00
YG1-G4426	Tap-Spfl Btm 3FL HP M10x1,5 D6 Bright (6H)	2.00
OSG-18540	Tap-Spfl Btm 3 fl M12x1.25 Bright (OH2)	6.00

TAPS		Spiral Flute Bottom - Uncoated
INT-4619227	Tap-Spfl Btm Fast Spiral 1/4-20 Bright (H3)	9.00
OSG-14325	Tap-Spfl Btm 3FL Fast Spiral 1/2-20 Bright (GH3)	7.00

TAPS		Spiral Flute Bottom - Coated
OSG-137401	Tap-Spfl Btm 1/4-28 H4 S/O	10.00

Item	Description	Qty on hand
OSG-29404	Tap-Spfl Btm 3FL 1/4-28 S/O (GH5)	6.00
OSG-29318	Tap-Spfl Btm 3FL 3/8-24NF S/O (GH3)	12.00

TAPS	Spiral Point Plug - For Ti and High Temps	
YG1-J0082	Tap-Sppt Plg 2FL GP 2-56 H2 Bright (2B)	1.00
YG1-J6162	Tap-Sppt Plg 2FL TI & NI 4-40 H2 Hardslick (2B/3B)	2.00
YG1-J6243	Tap-Sppt Plg 3FL TI & NI 6-32 H3 Hardslick (2B)	4.00
YG1-J6323	Tap-Sppt Plg 3FL TI & NI 10-24 H3 Hardslick (2B/3B)	4.00
YG1-J6343	Tap-Sppt Plg 3FL TI & NI 10-32 H3 Hardslick (2B)	4.00
YG1-J6405	Tap-Sppt Plg 3FL TI & NI 1/4-20 H5 Hardslick (2B)	5.00
YG1-J6424	Tap-Sppt Plg 3FL TI & NI 1/4-28 H4 Hardslick (2B)	4.00
YG1-J6445	Tap-Sppt Plg 3FL TI & NI 5/16-18 H5 Hardslick (2B)	3.00
YG1-J6463	Tap-Sppt Plg 3FL TI & NI 5/16-24 H3 Hardslick (3B)	4.00
YG1-J6485	Tap-Sppt Plg 3FL TI & NI 3/8-16 H5 Hardslick (2B)	4.00
YG1-J6504	Tap-Sppt Plg 3FL TI & NI 3/8-24 H4 Hardslick (2B)	2.00
YG1-J6525	Tap-Sppt Plg 3FL TI & NI 7/16-14 H5 Hardslick (2B)	2.00
YG1-J6545	Tap-Sppt Plg 3FL TI & NI 7/16-20 H5 Hardslick (2B)	2.00
YG1-J6565	Tap-Sppt Plg 3FL TI & NI 1/2-13 H5 Hardslick (2B)	2.00
YG1-J6585	Tap-Sppt Plg 3FL TI & NI 1/2-20 H5 Hardslick (2B)	2.00
YG1-J6605	Tap-Sppt Plg 3FL TI & NI 9/16-12 H5 Hardslick (2B)	1.00
YG1-J6625	Tap-Sppt Plg 3FL TI & NI 9/16-18 H5 Hardslick (2B)	1.00
YG1-J6645	Tap-Sppt Plg 4FL TI & NI 5/8-11 H5 Hardslick (2B)	2.00
YG1-J6665	Tap-Sppt Plg 4FL TI & NI 5/8-18 H5 Hardslick (2B)	1.00
YG1-J6705	Tap-Sppt Plg 4FL TI & NI 3/4-10 H5 Hardslick (2B/3B)	1.00
YG1-J6725	Tap-Sppt Plg 4FL TI & NI 3/4-16 H5 Hardslick (2B)	1.00

TAPS	Spiral Point Plug	
OSG	Tap-Sppt Plg 3fl 1/4-28 S/O (GH3)	9.00
OSG-1290601	Tap-Sppt Plg 4 fl 5/16-18 (H3) Long Length 8" oal	2.00
OSG-10248	Tap-Taper Plg 3fl 10-32 GH3 S/O	8.00
CLE-C57220	Tap-Sppt Plg 3fl 1/2-20 H3	2.00

Item	Description	Qty on hand
TAPS Spiral Point Plug - Metric - Coated		
REG-030232TC	Tap-Sppt Plg 2FL M2x.4 D3 (Black Oxide)	8.00
YG1-K6224	Tap-Sppt Plg 3FL 28Rc M3,5x,6 D4 Hardslick (6H)	2.00
YG1-K6315	Tap-Sppt Plg 3FL 28Rc M6x1 D5 Hardslick (6H)	1.00
YG1-K6345	Tap-Sppt Plg 3FL 28Rc M7x1 D5 Hardslick (6H)	1.00
YG1-K6375	Tap-Sppt Plg 3FL 28Rc M8x1 D5 Hardslick (6H)	4.00
YG1-K6426	Tap-Sppt Plg 3FL 28Rc M10x1,5 D6 Hardslick (6H)	2.00
YG1-K6435	Tap-Sppt Plg 3FL 28Rc M10x1,25 D6 Hardslick	2.00
YG1-K6506	Tap-Sppt Plg 3FL 28Rc M12x1,75 D6 Hardslick (6H)	2.00
YG1-K6525	Tap-Sppt Plg 3FL 28Rc M12x1,25 D5 Hardslick (6H)	2.00
YG1-K6547	Tap-Sppt Plg 3FL 28Rc M14x2 D7 Hardslick (6H)	1.00
YG1-K6556	Tap-Sppt Plg 3FL 28Rc M14x1,5 D6 Hardslick (6H)	1.00
YG1-K6607	Tap-Sppt Plg 3FL 28Rc M16x2 D7 Hardslick (6H)	1.00
YG1-K6616	Tap-Sppt Plg 3FL 28Rc M16x1,5 D6 Hardslick (6H)	1.00
YG1-J9676	Tap-Sppt Gun 3FL HP M18x1,5 D6 Steam Oxide (6H)	2.00

TAPS Hand Plug Tap		
OSG	Tap-Plg 4fl 5/16-18 GH5	2.00
NAC-24198	Tap-Plg 4fl 1/2-13 GH3 TiN	1.00
NAC-24213	Tap-Plg 3fl 1/2-20NF TiN (H3)	5.00
Tapco	Tap-Plug 6FL 1-1/2-12 Bright (H4)	1.00
BRU-10524	Tap-Plug 4fl 1/2-20 H3 Bright	1.00

TAPS Hand Bottoming Tap - Metric		
NAT	Tap- Btm 4FL M8x1.25 6H-.001	1.00
OSG-2411603	Tap- Btm 4fl HP M10x1.25 D5 HSSE, Nitride Coated	3.00

TAPS Hand Bottoming Tap		
OSG	Tap - Bmt 3fl 3/8-24 GH3 S/O	1.00

TAPS Taper Tap - Metric		
OSG-2031	Tap-Taper 4 fl M34x1.5 2B Bright	1.00

Item	Description	Qty on hand
TAPS Left Hand Plug Taps		
PTS-ER5390440	Tap-Sppt Plg (Left Hand) GP 4-40 Bright (ProCut)(Import)	2.00
PTS-ER5390632	Tap-Sppt Plg (Left Hand) GP 6-32 Bright (ProCut)(Import)	2.00
PTS-ER5390832	Tap-Sppt Plg (Left Hand) GP 8-32 Bright (ProCut)(Import)	2.00
PTS-ER5391024	Tap-Sppt Plg (Left Hand) GP 10-24 Bright (ProCut)(Import)	2.00
PTS-ER53420	Tap-Sppt Plg (Left Hand) GP 1/4-20 Bright (ProCut)(Import)	1.00
NAT-15548	Tap-Sppt Plg Cobalt (Left Hand) 1/4-28 TiAlN (GH3)	4.00
PTS-ER53428	Tap-Sppt Plg (Left Hand) GP 1/4-28 (3B)(H3) Bright (ProCut)(Import)	1.00
PTS-ER53518	Tap-Sppt Plg (Left Hand) GP 5/16-18 Bright (ProCut)(Import)	1.00
PTS-ER53524	Tap-Sppt Plg (Left Hand) GP 5/16-24 Bright (ProCut)(Import)	1.00
PTS-ER53616	Tap-Sppt Plg (Left Hand) GP 3/8-16 Bright (ProCut)(Import)	1.00
PTS-ER53624	Tap-Sppt Plg (Left Hand) GP 3/8-24 (H3) Bright (ProCut)(Import)	1.00
PTS-ER53813	Tap-Sppt Plg (Left Hand) GP 1/2-13 Bright (ProCut)(Import)	1.00
PTS-ER53820	Tap-Sppt Plg (Left Hand) GP 1/2-20 Bright (ProCut)(Import)	1.00
PTS-ER531011	Tap-Sppt Plg (Left Hand) GP 5/8-11 Bright (ProCut)(Import)	1.00
PTS-ER531210	Tap-Sppt Plg (Left Hand) GP 3/4-10 Bright (ProCut)(Import)	1.00
PTS-ER531216	Tap-Sppt Plg (Left Hand) GP 3/4-16 Bright (ProCut)(Import)	2.00

TAPS Reduced Shank - Extended Reach		
REG-015148AS	Tap-Sppt Plg 3FL Reduced Shk Ext 1/2-20 x 6' H3 (3B) Bright	2.00

TAPS NPT Pipe Taps - Bright and Coated		
YG1-R7020	Tap-Pipe 4FL 1/16-27 Npt/Nptf	2.00
YG1-R7200	Tap-Pipe 4FL 1/8-27 Npt/Nptf (Large Shk)	2.00
OSG-1315101	Tap-Pipe 4FL 1/8-27 Npt (Large Shk) S/O	1.00
YG1-R7210	Tap-Pipe 4FL 1/8-27 Npt/Nptf (Small Shk)	2.00
YG1-R7400	Tap-Pipe 4FL 1/4-18 Npt/Nptf	2.00
YG1-R7480	Tap-Pipe 4FL 3/8-18 Npt/Nptf	2.00
YG1-R7560	Tap-Pipe 4FL 1/2-14 Npt/Nptf	1.00
YG1-R7700	Tap-Pipe 5FL 3/4-14 Npt/Nptf	1.00
YG1-R7780	Tap-Pipe 5FL 1-11-1/2 Nptf..	1.00

Item	Description	Qty on hand
YG1-Q6020	Tap-Pipe Spfl 4FL HP 1/16-27 Npt/Nptf Hardslick	4.00
YG1-Q6200	Tap-Pipe Spfl 4FL HP 1/8-27 Npt/Nptf (Large Shk) Hardslick	4.00
YG1-Q6210	Tap-Pipe Spfl 4FL HP 1/8-27 Npt/Nptf (Small Shk) Hardslick	2.00
YG1-Q6400	Tap-Pipe Spfl 4FL HP 1/4-18 Npt/Nptf Hardslick	6.00
YG1-Q6480	Tap-Pipe Spfl 4FL HP 3/8-18 Npt/Nptf Hardslick	1.00
YG1-Q6560	Tap-Pipe Spfl 4FL HP 1/2-14 Npt/Nptf Hardslick	1.00

TAPS	STI Plug Taps - Metric Uncoated	
REG-007281AS	Tap-Sppt Plg 2FL M3x,5 D1 STI Bright	3.00
REG-007284AS	Tap-Sppt Plg 3FL M4x,7 D1 STI Bright	3.00
REG-007295AS	Tap-Sppt Plg 3FL M5x,8 D1 STI Bright	5.00
REG-007285AS	Tap-Stfl Plg 3FL GP M6x1 D2 STI Bright	3.00
REG-007286AS	Tap-Stfl Plg 4FL GP M8x1,25 D2 STI Bright	7.00
REG-007363AS	TAp-SPFT 3FL M8x1.25 D2 STI Bright	6.00

TAPS	STI Taps - Coated/Uncoated - Bottom and Plug	
YG1-SI162	Tap-Sppt Plg 4-40 (2B) Sti Hardslick (2' Oal)	4.00
OSG-18104	Tap-Hand Plg 6-32 3fl GH3 Sti Oxide	9.00
OSG-18105	Tap-Hand Btm 6-32 3fl GH3 Sti Oxide	4.00
OSG-6007600	Tap-Hand Btm 6-40 3fl Sti Bright	2.00
OSG-18252-00	Tap-Sppt Plg 8-32 GH2 2fl Sti Bright	1.00
YG1-SI282	Tap-Sppt Plg 8-32 (2B) Sti Hardslick (2.38' Oal)	2.00
OSG-80081-00	Tap Spfl Btm 10-24 3fl GH3 Sti Bright	5.00
OSS-60102	Tap Sppt Plg 10-24 3fl GH3 Sti Bright	9.00
YG1-SI322	Tap-Sppt Plg 10-24 (2B) Sti Hardslick (2.5' Oal)	2.00
NAT-209250	Tap-Hand Btm 10-32 GH3 Sti (4" oal)	3.00
TAPCO	Tap-Hand Plg 10-32 H4 4fl Sti Bright	4.00
NAT-17827	Tap-Hand Btm 10-32 GH2 (3B) 3 fl Sti Bright	1.00
YG1-ST342	Tap-Sppt Plg 10-32 (2B) Sti Hardslick (2.5' Oal)	4.00
YG1-SI402	Tap-Sppt Plg 1/4-20 (2B) Sti Hardslick (2.72' Oal)	4.00
OSG	Tap-Sppt Plg 1/4-20 3fl GH3 Sti S/O	9.00
YG1-ST422	Tap-Sppt Plg 1/4-28 (2B) Sti Hardslick (2.72' Oal)	2.00

Item	Description	Qty on hand
YG1-SI442	Tap-Sppt Plg 5/16-18 (2B) Sti Hardslick (2.94' Oal)	2.00
OSG-1812400	Tap-Hand Plg 5/16-18 GH3 4fl Sti S/O	6.00
OSG	Tap-Hand Btm 5/16-18 GH3 4fl Sti S/O	4.00
YG1-ST462	Tap-Sppt Plg 5/16-24 (2B) Sti Hardslick (2.94' Oal)	2.00
SOS	Tap=Spfl Btm 5/16-24 GH3 3 fl Sti Bright	3.00
YG1-SI482	Tap-Sppt Plg 3/8-16 (2B) Sti Hardslick (3.38' Oal)	2.00
YG1-ST502	Tap-Sppt Plg 3/8-24 (2B) Sti Hardslick (3.38' Oal)	2.00
YG1-SI522	Tap-Sppt Plg 7/16-14 (2B) Sti Hardslick (3.59' Oal)	2.00
YG1-ST542	Tap-Sppt Plg 7/16-20 (2B) Sti Hardslick (3.59' Oal)	2.00
OSG-18134	Tap-Hand Btm 7/16-20 GH3 Sti Oxide	2.00
YG1-SI562	Tap-Sppt Plg 1/2-13 (2B) Sti Hardslick (3.81' Oal)	2.00
HEL-8CPA	Tap-Hand Plg 1/2-13 H4 4fl Sti Bright	1.00
OSG-6022000	Tap-Hand Btm 1/2-13 H3 4fl Sti Bright	1.00
YG1-ST562	Tap-Spfl Btm HP 1/2-13 (2B) Sti Hardslick (3.81' Oal)	2.00
HEL-8CBB	Tap-Hand Btm 1/2-13 H3 4fl Sti Bright	1.00
HERTEL	Tap-Hand Plg 1/2-13 H3 4fl Sti Bright	2.00
YG1-SI582	Tap-Spfl Btm HP 1/2-20 (2B) Sti Hardslick (3.81' Oal)	2.00
NAT	Tap-Spfl Btm 9/16-12 GH3 4fl STI Bright	2.00
NAT	Tap-Spfl Btm 9/16-20 GH3 (3B) 4fl Sti Bright	1.00

TAPS

Form Taps - Inch Uncoated

YG1-Z6185	Tap-Form Btm Oil-Grv 4-48 H5 Bright (2B)	2.00
YG1-Z6205	Tap-Form Btm Oil-Grv 5-40 H5 Bright (2B)	2.00
YG1-Z6225	Tap-Form Btm Oil-Grv 5-44 H5 Bright (2B)	2.00
OSG-17798	Tap-Form Btm 8-36NF RH3 Bright	6.00
YG1-Z6305	Tap-Form Btm Oil-Grv 8-36 H5 Bright (2B)	2.00
BRU-12467	Tap-Form Btm Oil-Grv 1/4-28 H4 Bright	5.00

TAPS

Form Taps - Inch Coated

OSG-17734	Tap-Form Btm 1-64NC RH2 S/O	4.00
BAL-10282-01T	Tap-2-56 H2 Btm Form (TiN Coated)	11.00
NAC-77784	Tap-Form Btm Form 4-40NC H3 S/O	1.00

Item	Description	Qty on hand
YG1-Z7185	Tap-Form Btm Oil-Grv 4-48 H5 TiN (2B)	2.00
YG1-Z7205	Tap-Form Btm Oil-Grv 5-40 H5 TiN (2B)	2.00
YG1-Z7225	Tap-Form Btm Oil-Grv 5-44 H5 TiN (2B)	2.00
YG1-Z7265	Tap-Form Btm Oil-Grv 6-40 H5 TiN (2B)	2.00
OSG-93231	Tap-Form Btm 6-40NF S/O (GH7)	83.00
YG1-Z7305	Tap-Form Btm Oil-Grv 8-36 H5 TiN (2B)	2.00
YG1-Z7326	Tap-Form Btm Oil-Grv 10-24 H6 TiN (2B)	4.00
OSG-17910	Tap-Form Btm 12-28 RH6 S/O	2.00
YG1-Z7426	Tap-Form Btm Oil-Grv 1/4-28 H6 TiN (2B)	4.00
YG1-Z7447	Tap-Form Btm Oil-Grv 5/16-18 H7 TiN (2B)	2.00
YG1-Z7467	Tap-Form Btm Oil-Grv 5/16-24 H7 TiN (2B)	2.00
OSG-17874	Tap-Form Plug 5/16-24 RH5 S/O	7.00
OSG-17875	Tap-Form Btm 5/16-24NF GH5 C/O	11.00
YG1-Z7487	Tap-Form Btm Oil-Grv 3/8-16 H7 TiN (2B)	4.00
BAL-013448-10	Tap-Form Btm Oil-Grv 3/8-16 H8 TiN Coated	6.00
YG1-Z7507	Tap-Form Btm Oil-Grv 3/8-24 H7 TiN (2B)	2.00
YG1-Z7528	Tap-Form Btm Oil-Grv 7/16-14 H8 TiN (2B)	2.00
YG1-Z7548	Tap-Form Btm Oil-Grv 7/16-20 H8 TiN (2B)	2.00
YG1-Z7568	Tap-Form Btm Oil-Grv 1/2-13 H8 TiN (2B)	2.00
OSG-17886	Tap-Form Plug 1/2-20NF RH5 S/O	10.00
YG1-Z7588	Tap-Form Btm Oil-Grv 1/2-20 H8 TiN (2B)	2.00

TAPS

Form Taps - Metric Uncoated

YG1-Z950A	Tap-Form Btm Oil-Grv M12x1,75 D11 (6H) Bright	2.00
NAT	Tap-Form Btm Tru-Flo M6x0.75 GD3	3.00

TAPS

Form Taps - Metric Coated

OSG-19901	Tap-Form Plug M3x0.5 D5 TiN	5.00
-----------	-----------------------------	------

TAPS

Balax Form Taps- Inch and Metric

BAL-10322-010	Tap-Form Btm 2-56 H2 Sti Bright (7/16' Loc x 1-3/4' Oal)(7/16' Lbs)(BXSTI)	4.00
---------------	---	------

Item	Description	Qty on hand
BAL-10843-010	Tap-Form Btm 4-40 H3 Sti (3B) Bright (9/16' Loc x 1-7/8' Oal)(9/16' Lbs)(BXSTI)	12.00
BAL-11403-010	Tap-Form Btm 6-32 H3 Sti (3B) Bright (.450' Loc x 2' Oal)(11/16' Lbs)(BXSTI)	4.00
BAL-11743-010	Tap-Form Btm 8-32 H3 Sti (3B) Bright (15/32' Loc x 2-1/8' Oal)(3/4' Lbs)(BXSTI)	4.00
BAL-12083-010	Tap-Form Btm 10-24 H3 Sti Bright (.600' Loc x 2-3/8' Oal)(7/8' Lbs)(BXSTI)	4.00
BAL-12303-010	Tap-Form Btm 10-32 H3 Sti Bright (.600' Loc x 2-3/8' Oal)(7/8' Lbs)(BXSTI)	4.00
BAL-12763-010	Tap-Form Btm 1/4-20 H3 Sti Bright (.790' Loc x 2-1/2' Oal)(1' Lbs)(BXSTI)	4.00
BAL-12983-010	Tap-Form Btm 1/4-28 H3 Sti Bright (.790' Loc x 2-1/2' Oal)(1' Lbs)(BXSTI)	4.00
BAL-17285-01T	Tap - M2 x 0.4 BD5 Bott Form Tap (TiN Coated)	14.00
BAL-17426-01T	Tap - M2.5 x .45 BD6 Bott Roll Form (TiN Coated)	4.00
BAL-18064-010	Tap-Form Btm M4x0,7 D4 Sti (4H) Bright (15/32' Loc x 2-1/8' Oal)(3/4' Lbs)(BXSTI)	4.00
BAL-18264-010	Tap-Form Btm M5x0,8 D4 Sti (4H) Bright (.600' Loc x 2-3/8' Oal)(7/8' Lbs)(BXSTI)	4.00
BAL-18465-010	Tap-Form Btm M6x1,0 D5 Sti Bright (.790' Loc x 2-1/2' Oal)(1' Lbs)(BXSTI)	4.00
BAL-18666-010	Tap-Form Btm M8x1,25 D6 Sti Bright (7/8' Loc x 2-23/32' Oal)(1-1/8' Lbs)(BXSTI)	4.00